

75 cm Built-In Bottom Mount, Panel Ready Right hinges Modern Series



REF755BBRPTT

Bertazzoni built-in refrigerators are designed, engineered and made in Italy with the highest grade materials and components. The proprietary 'lift & swing' door hinge system makes them the ideal choice for true flush installation as a single unit or side-by-side. These refrigerators integrate seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen.

These built-in refrigerators are built to last forever, employing metal and glass inside and out for better temperature management. The lateral airflow system, with dual compressor and evaporator for refrigerator and freezer, reduces cold air loss when opening doors and allows for category-leading interior depth. The internal configuration is designed for maximum flexibility, with 335 L of refrigerator volume and 105 L of FlexMode volume. The FlexMode Refrigerator-Freezer allows to switch the bottom compartment between freezer and refrigerator with one touch. Interior LED lighting on top and sides provide bright interior illumination on all levels with minimal energy consumption. Integrated water filter connected to water line ensures regular production of ice cubes of customizable size.

[Guarda online](#)

Specifications

Features

General features

| | |
|---------------------------|---|
| Size | 75 cm |
| Cooling system | Total No Frost |
| User interface | internal digital TFT touch interface |
| Display functions | bottle cooler, ice maker, ice cube size, super ice, water filter, flex mode, vacation mode, shopping mode, sabbath mode |
| Lighting | LED lights on sides and top |
| Open door alarm | yes |
| Door finishing | panel ready |
| Cabinet finishing | white aluminum |
| Refrigerator net capacity | 335 L |
| Refrigerator shelves | 3 |
| Refrigerator drawers | 2 |
| Bins | 3 height-adjustable full-width bins |
| Freezer net capacity | 105 L |
| Freezer drawers | 2 |
| Automatic ice maker | yes |
| Ice production capacity | up to 1,5 kg / 24h |
| Water filter | internal |
| Water supply pressure | MIN 0.05 MPA (0.5BAR) MAX 0.5 MPA (5 BAR) |
| Sound rating | 41 dbA |

Technical specifications

| | |
|-----------------------|--------------------|
| Energy class | F |
| Voltage and frequency | 220-240V, 50/60 Hz |

Dimensions

